



Industrial Process and **S**ensor

2109 Holland Street
Alton, Illinois 62002

Phone 618-465-7623

FAX 618-465-7623

WE CAN TAKE THE **HEAT!**

Thermowell Data

This Section Contains

Weld-In Thermowells



Please For Quote.

If you can't find what you need



Just CALL!!

From Illinois 618-465-7623


From St. Louis 314-231-0752

Fax 618-465-7679

E-mail info@ipscustom.com

WELD-IN THERMOWELLS


SERIES WIH .260



PIPE SIZE P	ACTUAL DIA P	CODE NUMBER	INSERT LENGTH U	STEM LGTH A
3/4" Nominal	1.050	WIH .260 - U	2-1/2	4
			4-1/2	6
1" Nominal	1.315		7-1/2	9
			10-1/2	12
N/A	1.375		13-1/2	15
			16-1/2	18
N/A	1.500		22-1/2	24

WELD-IN THERMOWELLS

SERIES WIHL .260




PIPE SIZE P	ACTUAL DIA P	CODE NUMBER	INSERT LENGTH U	LAG EXT T	STEM LGTH A
3/4" Nominal	1.050	WIHL .260 - U	2-1/2	T2	6
			4-1/2	T3	9
1" Nominal	1.315		7-1/2	T3	12
			10-1/2	T3	15
N/A	1.375		13-1/2	T3	18
			19-1/2	T3	24
N/A	1.500				

Technical drawing of a tapered shaft-hub assembly. The drawing shows a cross-section of a shaft with a tapered end fitting into a hub. The shaft has a diameter of $Q = 49/64"$ at the tapered end and a total length of $U = \text{_____}"$ (where $U \leq 16.00"$). The hub has a bore diameter of $P = \text{_____}"$ and a total length of $L = \text{_____}"$. The assembly is shown with a gap of $E = .250"$ between the shaft and the hub. The shaft is labeled with $1/2"-14 \text{ NPT}$ at the left end. The hub is labeled with $M = .385"$ at the right end. The drawing includes a break line in the middle of the shaft and hub, indicating that the assembly is longer than shown. The dimensions are given in inches.

PIPE SIZE P	ACTUAL DIA P	CODE NUMBER	INSERT LENGTH U	STEM LGTH A
3/4" Nominal	1.050	WIH .385 - U	2-1/2	4
			4-1/2	6
1" Nominal	1.315		7-1/2	9
			10-1/2	12
N/A	1.375		13-1/2	15
			16-1/2	18
N/A	1.500		22-1/2	24

WELD-IN THERMOWELLS

SERIES WIHL .385



PIPE SIZE P	ACTUAL DIA P	CODE NUMBER	INSERT LENGTH U	LAG EXT T	STEM LGTH A
3/4" Nominal	1.050	WIHL .385 - U	2-1/2	T2	6
			4-1/2	T3	9
1" Nominal	1.315		7-1/2	T3	12
			10-1/2	T3	15
N/A	1.375		13-1/2	T3	18
			19-1/2	T3	24
N/A	1.500				